

KA  
LEI  
DO

ROC



OUTDOOR



**KA  
LEI  
DO**

**ROC**

**BIANCO ROC**

**NERO ROC**



**CENERE ROC**

**GRIGIO ROC**



**KA  
LEI  
DO**

**ROC**

**CAPPUCCINO ROC**

**MARRONE ROC**



**BEIGE ROC**

## ANTISCIVOLO R11-C

ANTISLIP. ANTIDERAPANTE. RUTSCHHEMMEND. ПРОТИВОСКОЛЬЗЯЩИЙ

### FORMATO

**30x60 . 12"x24"**

Naturale

**29,7x59,5 . 12"x24"**

Rettificato

**30x30 . 12"x12"**

Naturale

**29,7x29,7 . 12"x12"**

Rettificato

**30x60 . 12"x24"**

**NATURALE 78 ●**

7672275 BIANCO ROC

7672265 CENERE ROC

7672245 GRIGIO ROC

7677735 NERO ROC

7672255 BEIGE ROC

7677885 CAPPUCCINO ROC

**29,7x59,5 . 12"x24"**

**RETTIFICATO 85 ●**

7672315 BIANCO ROC RETT.

7672305 CENERE ROC RETT.

7672285 GRIGIO ROC RETT.

7672295 BEIGE ROC RETT.

7672296 CAPPUCCINO ROC RETT.

**30x30 . 12"x12"**

**NATURALE 70 ●**

7666691 BIANCO ROC

7666681 CENERE ROC

7666671 GRIGIO ROC

7666661 NERO ROC

7666701 MARRONE ROC

**29,7x29,7 . 12"x12"**

**RETTIFICATO 83 ●**

7665512 BIANCO ROC


7665522 CENERE ROC

7672286 GRIGIO ROC

**Mosaico 5x5 . 2"x2"**



30x30 . 12"x12"  
7666077 BIANCO ROC  
**124 ●**




30x30 . 12"x12"  
7665878 CENERE ROC  
**124 ●**



30x30 . 12"x12"  
7665823 GRIGIO ROC  
**124 ●**



30x30 . 12"x12"  
7665879 NERO ROC  
**124 ●**



30x30 . 12"x12"  
7666076 CAPPUCCINO ROC  
**124 ●**




30x30 . 12"x12"  
7666075 BEIGE ROC  
**124 ●**

**Muretto 2,5x5 . 1"x2"**




30x30 . 12"x12"  
7666073 BI/BG/MA ROC  
**139 ●**




30x30 . 12"x12"  
7666074 CE/GR/NE ROC  
**139 ●**

PEZZI SPECIALI. PIECES SPECIALES. TRIMS. FORMSTÜCKE. СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ




**Battiscopa 14 ▲**  
**7,5x30 . 3"x12"**

- 7672325 GRIGIO ROC
- 7672335 BEIGE ROC
- 7672345 CENERE ROC
- 7672355 BIANCO ROC
- 7672326 CAPPUCCINO ROC
- 7672327 NERO ROC



**Elemento Elle Pressa 44 ▲**  
**15x30x3,5 . 6"x12"x1,4"**







- 7675009 GRIGIO ROC
- 7674979 BEIGE ROC
- 7674999 CENERE ROC
- 7674989 BIANCO ROC
- 7675089 CAPPUCCINO ROC
- 7655030 NERO ROC



**Gradino Step 48 ▲**  
**30x60 . 12"x24"**


- 7672365 GRIGIO ROC
- 7672375 BEIGE ROC
- 7672385 CENERE ROC
- 7672395 BIANCO ROC
- 7672396 CAPPUCCINO ROC
- 7677736 NERO ROC

IMBALLI. EMBALLAGES. PACKING. VERPACKUNG. УПАКОВКА


	 mm	 PCS / BOX	 M2 / BOX	 BOX / PLT	 M2 / PLT	 KG / PLT
30x60	9	7	1,26	40	50,4	1040
29,7x59,5 Rett.	9	7	1,24	40	49,6	1000
30x30	8	13	1,17	48	56,16	1020
29,7x9,7 Rett.	9	11	0,97	48	46,56	964,80
30x30 Mosaico Muretto	9	11	1	-	-	-
<b>PEZZI SPECIALI</b>						
7,5x30 Battiscopa	-	32	9,60 ml	-	-	-
15x30x3,5 Elemento Elle Pressa	-	8	2,40 ml	-	-	-
30x60 Gradino Step	-	7	4,20 ml	-	-	-

POSA CONSIGLIATA. RECOMMENDEND INSTALLATION. INSTALLATION RECOMMANDÉE. INSTALLATION EMPFOHLEN. УСТАНОВКА РЕКОМЕНДУЕТСЯ

**1/2** NO - NO - NON - NEIN - HET



**1/4** SI - YES - OUI - JA - ДА



FUGA >3 mm



















DIN 51130  
R11



DIN 51097  
C



V3

 <b>GRES PORCELLANATO CON COLORAZIONE IN MASSA</b> PORCELAINED STONEWARE WITH MASS COLOURING GRES CERAME AVEC PATE COLOREE DURCHGEFÄRBTES FEINSTEINZEUG GRES PORCELÁNICO CON COLORACIÓN EN MASA ФАРФОРОВЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛЩИНЕ		<b>GRUPPO DI APPARTENENZA SECONDO ISO 13006</b> CLASS GROUPE D'APPARTENANCE ZUGEHÖRIGKEITSGRUPPE GRUPO DE PERTENENCIA ГРУППА ПРИНАДЛЕЖНОСТИ				<b>Bla GL</b>
<b>Simbologia</b> Symbolics Symboles Symbole Simbologias Символы	<b>Caratteristiche</b> Features Caractéristiques Eigenschaften Características Характеристика	<b>Unità di misura</b> Unit of measurement Unité de mesure Masseinheit Unidad de medida Единица измерения	<b>Valore medio Saime</b> Saime mean value Valeur moyenne Saime Durchschnittswert-Saime Valor medio Saime Среднее значение Saime	<b>Valore prescritto</b> Fixed value Valeur prescrite Vorgeschriebener Wert Valor prescrito Требуемое значение	<b>Metodo di prova</b> Test method Méthode d'essai Prüfmethode Método de ensayo Метод испытания	
	<b>Dimensione lati</b> Dimensions-Longht and widht Dimensions-Longueur et largeur Masse-Länge und Breite Dimensiones-Longitud y ancho Размеры сторон	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2	
	<b>Rettilineità dei lati</b> Side straightness Rectitude des arêtes Geradlinigkeit der Kanten Rectilinedad de los lados Прямолинейность сторон	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2	
	<b>Ortogonalità degli spigoli</b> Corner squareness Angularité Rechtwinkligkeit der Kanten Ortogonalidad de las esquinas Ортогональность кромок	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2	
	<b>Planarità</b> Flatness Planéité Ebenflächigkeit Planeidad Плоскостность	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2	
	<b>Spessore</b> Thickness Epaisseur Dicke Grosor Толщина	%	+/- 5,0	+/- 5,0 max	UNI EN ISO 10545-2	
	<b>Assorbimento d'acqua</b> Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение	%	< 0,2	≤ 0,5	UNI EN ISO 10545-3	
	<b>Sforzo di rottura</b> Breaking strenght Contrainte de rupture Bruchkraft Esfuerzo de rotura Разрушающее усилие	N	> 1600	≥ 1300 se Spess. ≥ 7,5 ≥ 700 se Spess. ≤ 7,5	UNI EN ISO 10545-4	
	<b>Modulo di rottura</b> Modulus of rupture Coefficient de rupture Bruchmodul Módulo de rotura Модуль разрыва	N/mm <sup>2</sup>	> 40	≥ 35	UNI EN ISO 10545-4	
	<b>Dilatazione termica lineare</b> Coeff. of linear thermal expansion Coeff. d'extension thermique linéaire Linearer Wärmeausdehnungs-Koeffizient Coeficiente de dilatación térmica lineal Линейное тепловое расширение	°MK (-1)	7,0	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-8	
	<b>Resistenza agli sbalzi termici</b> Thermal shock resistyance Résistance aux chocs thermiques Temperaturwechsel Beständigkeit Resistencia a choque térmico Стойкость к перепадам температуры	-	resiste resist widerstandsfähig resiste стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-9	
	<b>Resistenza alle macchie</b> Stain resistance Résistance au tâches Flecken Beständigkeit Resistencia a las manchas Стойкость к образованию пятен	-	≥ 3	3 MIN	UNI EN ISO 10545-14	
	<b>Resistenza ai prodotti chimici di uso domestico</b> Resistance to chemical products Résistance aux produits chimiques Beständigkeit gegen Chemikalien Resistencia a los productos químicos Стойкость к бытовым химикатам	-	conforme conform conforme gleichmässig conforme соответствует	MIN GB	UNI EN ISO 10545-13	
	<b>Resistenza agli acidi e alle basi a bassa concentrazione</b> Resistant to acids and low concentration bases Résistance aux acides et aux bases à faible concentration Widerstandsfähig gegenüber niedrig konzentrierten Säuren und Laugen Resistencia a los ácidos y las bases de baja concentración Стойкость к низким концентрациям кислот и щелочей	-	MIN GLB	secondo classificazione prodotto according to product classification selon classification produit Gemäß Produktklassifizierung СОГЛАСНО КЛАССИФИКАЦИИ ПРОДУКЦИИ	UNI EN ISO 10545-13	
	<b>Resistenza al gelo</b> Frost resistance Résistance au gel Frostbeständigkeit Resistencia al hielo Морозостойкость	-	resiste resist widerstandsfähig resiste стойкий	richiesta request demande anfrage solicitud требуемое значение	UNI EN ISO 10545-12	
	<b>Stabilità dei colori</b> Colour stability Stabilité des coloris Lichtechtheit der Färbung Estabilidad de los colores Цветостойкость	-	stabile stable stable estabil estable стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	DIN 51094	



E' a disposizione della gentile clientela la lista dei nostri articoli certificati dall'ente UNI CERTIQUALITY

The list of our items certified by "UNI" is available for our customers

Pour tous nos clients est disponible la liste de nos produits avec la certification UNI

Den Kunden steht eine Aufstellung zur Verfüegung der Artikeln die mit UNI Zertifikat bescheinigt wurden

La lista de nuestros artículos certificados por el Instituto UNI está a disposición de la estimada clientela.

Мы можем предоставить в распоряжении наших заказчиков перечень нашей продукции, сертифицированной органом UNI

N° DI CONCESSIONE PI02719

KA  
LEI  
DO

ROC



SAIME CERAMICHE

Via Abetone Inferiore, 24

41053 Maranello MO Italy

LAT: 44.5409960 (44° 32' 27.586")

LNG: 10.8615504 (10° 51' 41.581")

Tel. +39 0536 869611

Fax +39 0536 843823

+39 0536 830313

+39 0536 832533

+39 0536 869681

saime@riwal.it

www.saimeceramiche.com



Sede legale e amministrativa:

NUOVA RIWAL CERAMICHE s.r.l.

Via Ghiarola Nuova, 101

41042 Fiorano Modenese MO Italy

Tel. +39 0536 869411

Fax +39 0536 837321

info@riwal.it

www.riwal.it



“  
Ceramics of Italy”